

**Family: POLYGONACEAE**



CHWA2  
*Chorizanthe watsonii*  
fiveteeth spineflower



ERCA8  
*Eriogonum caespitosum*  
mat buckwheat



ERHE2  
*Eriogonum heracleoides*  
Wyeth creamy buckwheat



ERLE13  
*Eriogonum lewisii*  
Lewis buckwheat  
**SENSITIVE**



EROV  
*Eriogonum ovalifolium*  
oval-leaved buckwheat



EROCC  
*Eriogonum ochrocephalum calcareum*  
calcareous buckwheat  
**SENSITIVE**



Second Photo of *Eriogonum ovalifolium*




ERSH  
*Eriogonum shockleyi*  
Shockley's buckwheat  
**SENSITIVE**



ERSHP  
*Eriogonum shockleyi packardiae*  
Packard's buckwheat  
**SENSITIVE**



ERSHS  
*Eriogonum shockleyi shockleyi*  
Shockley's buckwheat  
**SENSITIVE**



Close up of *Eriogonum shockleyi shockleyi*




ERSP7  
*Eriogonum sphaerocephalum*  
rock buckwheat



Second Photo of *Eriogonum sphaerocephalum*



ERST4  
*Eriogonum strictum*  
strict buckwheat



ERUM  
*Eriogonum umbellatum*  
sulphur-flower buckwheat




ERV15  
*Eriogonum vimineum*  
Broom buckwheat



PODO4  
*Polygonum douglasii*  
Douglas' knotweed



POBI6  
*Polygonum bistortoides*  
American bistort



POMA9  
*Polygonum majus*  
wiry knotweed



RUSA  
*Rumex salicifolius*  
willow dock



Close up of *Rumex venosus*



RUVE2  
*Rumex venosus*  
veiny dock